

SAFETY DATA SHEET KÖSTER NB 2000 - Powder Component

According to regulation (EU) No. 2015/830

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	KÖSTER NB 2000 - Powder Component	
Product number	0209 a	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Identified uses	Cement based waterproofing product with two component.	
1.3. Details of the supplier of the supplicit states and the supplicit states are supplied as the supplicit states are supplicit. The supplicit states are supplicit. The supplicit states are supplicit states are supplicit states are supplicit. The supplicit states are supplicit states are supplicit states are supplicit. The supplicit states are supplicit states are supplicit states are supplicit states are supplicit. The supplicit states are supplicit. The supplicit states are supplicit states are supplicit. The supplicit states are supplicit	the safety data sheet	
Supplier	KÖSTER YAPI KİMYASALLARI İNŞ. SAN. VE TİC. A.Ş. GEBKIM Kimya Ihtisas OSB, Atatürk Bulvarı No:6, Dilovası, 41455 Kocaeli -Turkey Tel: +90 (262) 754 2020 www.koster.com.tr	
Contact person	Mazlum BUDAK (Mr) - Quality Control Manager bilgi@koster.com.tr	
1.4. Emergency telephone number		
Emergency telephone	Köster: +90 262 754 2020	
SECTION 2: Hazards identific	ation	
2.1. Classification of the subs	tance or mixture	
Classification (EC 1272/2008)		
Physical hazards		
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard pictograms		
Signal word	Danger	
Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.	

Precautionary statements	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations.
Contains	Cement, portland, chemicals

2.3. Other hazards

The substance content classified as PBT or vPvB does not exceed 0.1%.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Cement, portland, chemicals		25-40%
CAS number: 65997-15-1	EC number: 266-043-4	
Exempt from REACH regulation.		
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1B - H317 STOT SE 3 - H335		
The full text for all hazard statements is displayed in Section 16.		

Ingredient notes

Exempt from REACH regulation.

SECTION 4: First aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. If in doubt, get medical attention promptly. Do not induce vomiting unless under the direction of medical personnel.
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. Wash contaminated clothing before reuse. Get medical attention promptly if symptoms occur after washing. If in doubt, get medical attention promptly.
Eye contact	Rinse with water. Do not rub eye. Continue to rinse for at least 10 minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Dust may irritate the respiratory system.
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.
Skin contact	Redness. Irritating to skin. May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	Causes serious eye irritation. Pain. Itchiness. Redness.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Use foam, carbon dioxide, dry powder or water fog to extinguish.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from	om the substance or mixture
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be

 Personal precautions
 Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Avoid contact with skin, eyes and clothing. Do not handle broken packages without protective equipment. Wash thoroughly after dealing with a spillage.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Clear up spills immediately and dispose of waste safely. Avoid generation and spreading of dust. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into suitable waste disposal containers and seal securely. If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Leave small quantities to evaporate, if safe to do so.	
6.4. Reference to other sectio	ns	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.	
SECTION 7: Handling and sto	prage	
7.1. Precautions for safe handling		
Usage precautions	Read and follow manufacturer's recommendations. Obtain special instructions before use. Wear protective clothing as described in Section 8 of this safety data sheet. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid breathing dust. Avoid handling which leads to dust formation.	
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage	ge, including any incompatibilities	
Storage precautions	Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.	
Storage class	Chemical storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure contro	Is/Personal protection	
8.1. Control parameters		
Occupational exposure limits		
Quartz (SiO2), Crystalline Sili	ca	
Long term supering limit (2 hour TMA): $OSHA 0.05 mg/m^3$		

Long-term exposure limit (8-hour TWA): OSHA 0.05 mg/m³ Long-term exposure limit (8-hour TWA): TLV:Threshold Limit Values 1 mg/m³

Cement, portland, chemicals

Long-term exposure limit (8-hour TWA): TLV:Threshold Limit Values 10 mg/m³ OSHA = Occupational Safety and Health Administration.

8.2. Exposure controls

Protective equipment







Appropriate engineering controls

Provide adequate ventilation. Use mechanical ventilation if there is a risk of handling causing formation of airborne dust.

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. When used with mixtures, the protection time of gloves cannot be accurately estimated. It is recommended that gloves are made of the following material: Butyl rubber. Nitrile rubber. Polyvinyl chloride (PVC).
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Particulate filter, type P1.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Powder.	
Colour	Grey.	
Odour	Odourless.	
Odour threshold	No information available.	
рН	No information available.	
Melting point	No information available.	
Initial boiling point and range	No information available.	
Flash point	No information available.	
Evaporation rate	No information available.	
Evaporation factor	No information available.	
Flammability (solid, gas)	No information available.	
Upper/lower flammability or explosive limits	No information available.	
Other flammability	No information available.	
Vapour pressure	No information available.	
Vapour density	No information available.	
Relative density	No information available.	
Bulk density	1,1 - 1,3 g/cm3	
Solubility(ies)	No information available.	
Partition coefficient	No information available.	

Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Oxidising properties	Not known.
9.2. Other information	
Refractive index	No information available.
Particle size	No information available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	No information available.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition products	
Hazardous decomposition products	Does not decompose when used and stored as recommended.
SECTION 11: Toxicological in	formation
11.1. Information on toxicologi	cal effects
Skin corrosion/irritation Skin corrosion/irritation	Irritating to skin.
Serious eye damage/irritation Serious eye damage/irritation	Irritating to eyes.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.

Skin sensitisation Skin sensitisation	Sensitising.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Genotoxicity - in vivo	Based on available data the classification criteria are not met.	
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	Irritation of nose, throat and airway.	
Specific target organ toxicity -		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.	
Inhalation	No adverse effects known.	
Ingestion	May cause stomach pain or vomiting.	
Skin contact	Redness. Irritating.	
Eye contact	Causes serious eye irritation. Redness. Irritation and redness, followed by blurred vision.	
SECTION 12: Ecological infor	mation	
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.	
12.1. Toxicity		
Toxicity	No information available.	
12.2. Persistence and degrada	ability	
Persistence and degradability	The degradability of the product is not known.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	No information available.	
12.4. Mobility in soil		
Mobility	No information available.	
12.5. Results of PBT and vPvl	3 assessment	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	lerations	

13.1. Waste treatment methods

General information	The generation of waste should be minimised or avoided wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport info	ormation
General	The product is not covered by international regulations on the transport of dangerous goods

The product is not covered by international regulations on the transport of dangerous good (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

Uygulanamaz

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulationsEH40/2005 Workplace exposure limits.
Health and Safety at Work etc. Act 1974 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. CAS: Chemical Abstracts Service. IMDG: International Maritime Dangerous Goods. LC₅₀: Lethal Concentration to 50 % of a test population. LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose). vPvB: Very Persistent and Very Bioaccumulative.
Classification abbreviations and acronyms	Skin Irrit. = Skin irritation Eye Dam. = Serious eye damage Skin Sens. = Skin sensitisation STOT SE = Specific target organ toxicity-single exposure
Revision comments	Revised classification.
Issued by	Mazlum Budak Sertifikalı GBF hazırlayıcısı Sertifika No: GBF01.35.06 Sertifika alım tarihi: 06.07.2019
Revision date	18/10/2021
Revision	1.0
Supersedes date	18/10/2021
SDS number	5185
Hazard statements in full	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.