

# KÖSTER® PU Primer 110

## One component PU primer for porous surfaces

### **Product Description:**

Turkish product name > KÖSTER PU Primer 110

KÖSTER PU Primer 110 promotes the adhesion of polyurethane sealants to porous surfaces, such as concrete, cement, wood and teak etc. The primer penetrates the material and eliminates residual dust. KÖSTER PU Primer 110 is not suitable for application on the following materials: stainless steel, aluminium, copper, brass and painted surfaces. **Warning:** note that treated surfaces with KÖSTER PU Primer 110 may yellow when exposed to UV sunlight.

### **Advantages:**

- One component
- Easy to apply
- Strong adhesion on most surfaces
- Dries rapidly
- Low consumption

### **Instructions:**

#### **Surface preparation:**

Surfaces must be clean, sound and dry. On damp surfaces, adhesion test should be performed. Dust, oil, grease, old coatings, laitance, efflorescence, rust, curing compounds, waxes, form oil and similar contaminations should be cleaned or removed prior to

application. Roughen wood surfaces before application.

### **Application Procedure:**

Using a brush, spread a thin layer of KÖSTER PU Primer 110 on the supports to be sealed and allow to dry. In the case of very porous materials, the primer should be applied twice.

### **Consumption:**

KÖSTER PU Primer 110 200 gr / m<sup>2</sup>

### **Packaging:**

KÖSTER PU Primer 110 250 gr tin



### **Storage:**

KÖSTER PU Primer 110 6 month  
Keep in dry place, at room temperature. Protect from freezing and direct heat sources, sunlight etc.

### **Caution:**

This product is inflammable. Store in a dry and well ventilated area in original packaging. Keep out of the reach of children.

---

**Legal Notes :** This guide has been issued to provide details regarding the use and application of our products, which can be used in very wide and various areas and to demonstrate the general technical details. This information reflects the knowledge and expertise of our company and is of recommendation nature. Especially, the details regarding implementation and final use are provided with good will to cover the storage, handling and application of our products under normal and recommended conditions. Products, application surfaces, areas and application conditions vary in practice. Therefore, it is of utmost importance to make sure you are applying the right product, at the right conditions and places. Since KÖSTER cannot check how its products are used, it does not accept any responsibility regarding the results of the application and does not provide any guarantees. Information provided here or written/verbal information provided by KÖSTER employees should solely be considered as recommendation. KÖSTER employees to visit the application area do not create any supervisor responsibilities on our part. The product users (user) should test the suitability of the product they are planning to use for the respective application and purpose. KÖSTER has the right to modify its products without announcement. Acceptance of all orders is based on our current sale and transportation terms and conditions. Users should always consider the final version of the local Technical Sheet of the respective product, which can be obtained by applying to KÖSTER. Product users should act cautious and observe and protect their own interests and property rights. They are even obliged to act in this manner. This guide only covers KÖSTER products and is not valid for products of other companies. Only the written announcements of our company are valid regarding matters that require technical support provided by us. This technical document is valid until a new version is printed and supersedes all previous versions.

---